IB - SD

Plant Pathology

A record of current work on plant diseases and pests

INDEX
VOLUME 12, 1963

Author: *pages* ii-iii

Subject: *pages* iv-viii

LONDON: HER MAJESTY'S STATIONERY OFFICE

AUTHOR INDEX

BANT, J. H. Licorice Rot, *Centrospora acerina* on Carrots, 136.

BARDNER, R. Some Systemic Insecticides compared as Seed Treatments against Aphids, 72-9.

BLAND, MARJORIE A. and EGAN, H. Phenylmercury Salicylate Residues in Commercial Glasshouse Tomato Crops, 59-62.

BOYD, A. E. W. (*joint author*), see Harper, P. C., 139-42.

BYFORD, W. J. Field Emergence and Laboratory Germination of Sugar-beet Seed, 174-7.

CAMMACK, R. H. and RICHARDSON, D. E. Suspected Potato Spindle Tuber Virus in England, 23-6.

CAMERON, W. P. L. *Euzophora osseatella* in a Potato Tuber, 137.

CARR, A. J. H. and LAPGE, E. C. Surveys of Phyllody in White Clover Seed Crops, 1959-62. 121-7.

CATHERALL, P. L. Transmission and Effect of Barley Yellow Dwarf-Virus isolated from Perennial Ryegrass, 157-60.

CHANNON, A. G. Centrospora Rot of Parsnips, 136.

COLHOUN, J. Control of Club Root Disease in Brassicas, 65-8.

COLHOUN, J. and PARK, D. Damage to Stored Apples caused by *Thuja* Wood, 45-6.

COLLINGWOOD, C. A. (*joint author*), see Peachey, J. E., 84-7.

DAVIES, T. GLYN. Observations on the Ground Beetle Fauna of Brassica Crops, 7-11.

DAVIES, T. GLYN. Bud-rot on Gardenias, 92.

DAVIES, T. GLYN. Control of Turnip Flea Beetles by Liquid Seed Dressing, 130-1.

DENNIS, E. B. and EDWARDS, C. A. Phytotoxicity of Insecticides and Acaricides. II. Flowers and Ornamentals, 27-39.

DOLING, D. A. (*joint author*), see Large, E. C., 128-30.

DUTHOIT, CECILY M. G. and GODFREY, B. E. S. Effect of Green Manure and Predacious Fungi on Cereal Root Eelworm in Oats, 18-19.

EDWARDS, C. A. (*joint author*), see Dennis, E. B., 27-39.

EGAN, H. (*joint author*), see Bland, Marjorie A. 59-62.

ELLENBERGER, CHRISTINA E. (*joint author*), see Posnette, A. F., 115-17.

FLETCHER, J. T. Tobacco Mosaic Virus Infection of Sweet Peppers, 113-14.

GLASSCOCK, H. H. Downy Mildew of Broad Bean, 92.

GODFREY, B. E. S. (*joint author*), see Duthoit, Cecily M. G., 18-19.

GOSTICK, K. G. Effect of Temperature on Methyl Bromide Fumigation of Lucerne Seed for Control of Stem Eelworm, 62-4.

GRAHAM, D. C. Serological Diagnosis of Potato Blackleg and Tuber Soft Rot, 142-4.

GRAHAM, D. C. (*joint author*), see Harper, P. C., 139-42.

GRAY, ELIZABETH G. Snow Moulds in North Scotland, 184.

HAGUE, N. G. and SOOD, USHA. Soil Sterilization with Methyl Bromide to control Soil Nematodes, 88-90.

HARPER, P. C., BOYD, A. E. W. and GRAHAM, D. C. Growth Cracking and Bacterial Soft Rot in Potato Tubers, 139-42.

HAWKINS, J. H., WIGGELL, P. and WILCOX, H. J. A Root Rot of Chrysanthemums, 21-2.

HEATHCOTE, G. D. The Effect of Coccinellids on Aphids infesting Insecticide-treated Sugar-beet, 80-3.

HESLING, J. J. New Hosts of the Brassica Cyst Nematode, 184.

HESLING, J. J. and PEACHEY, J. E. Experiments on the Treatment of Chrysanthemum Stools for the Control of Eelworm, 180-3.

HOLLINGS, M. and STONE, OLWEN M. *Emilia sagittata* L. as a Test Plant for Plant Viruses, 69-71.

HOLMES, T. D. and KNAPMAN, J. Bottom Rot of Lettuce and its Control, 147-8.

HOOPER, D. J. (*joint author*), see Peachey, J. E., 117-20.

HOWELL, P. J. and NOBLE, MARY. *Helminthosporium avenaceum* on Wheat Seed in Scotland, 135-6.

HULL, R. Sugar Beet Yellows in Great Britain, 1962, 155-6.

JARVIS, W. R. (*joint author*), see Wilson, A. R., 91.

JONES, J. MORGAN and WEBLEY, D. P. Chemical Control of Frit Fly by Sprays and Seed Dressings, 93-105.

JONES, F. G. W. and NIRULA, K. K. Hatching Tests and Counts of Primary Galls in Assessment of Nematicides against *Meloidogyne* spp., 148-54.

KNAPMAN, J. (*joint author*), see Holmes, T. D., 147-8.

LARGE, E. C. (*joint author*), see Carr, A. J. H., 121-7.

LARGE, E. C. (*joint author*), see Roberts, E. T., 47-58.

LARGE, E. C. and DOLING, D. A. Effect of Mildew on Yield of Winter Wheat, 128-30.

LAST, F. T. Effect of Temperatures on Cereal Powdery Mildews, 132-3.

LAST, F. T. (*joint author*), see Slope, D. B., 37-9.

MAUDE, R. B. Testing the Viability of *Septoria* on Celery Seed, 15-17.

MCKEE, R. K. Scab Resistance of Potato Varieties, 106-9.

METEOROLOGICAL OFFICE. The Weather of England and Wales, 44-5, 134-5.

MORIARTY, F. Variance of Counts from Larval Suspensions of Beet Eelworm, 177-9.

MORRISON, J. R. (*joint author*), see Preece, T. F., 145-6.

NIRULA, K. K. (*joint author*), see Jones, F. G. W., 148-54.

NOBLE, MARY (*joint author*), see Howell, P. J., 135-6.

OSBORNE, P. Damage to Parsnips by *Psila fimetaria* in Scotland, 136.

PARK, D. (*joint author*), see Colhoun, J., 45-6.

PEACHEY, J. E. (*joint author*), see Hesling J. J., 180-3.

PEACHEY, J. E., COLLINGWOOD, C. A. and RAO, G. N. Control of Potato Root Eelworm in a Glasshouse Soil with a Formulation of Methyl Isothiocyanate, 84-7.

PEACHEY, J. E. and HOOPER, D. J. Chemical Treatment of Quarantined Banana Stocks infested with Plant Parasitic Nematodes, 117-20.

PHILLIPS, D. H. Forecasting of Potato and Tomato Blight in Jersey, 1957-61, 1-7.

POSNETTE, A. F. and ELLENBERGER, CHRISTINA E. A Disease resembling Plum Pox in England, 115-17.

PREECE, T. F. and MORRISON, J. R. Growth Stages of the Narcissus Flower within the Bulb. Illustrations of the Beyer Scale, 145-6.

RAO, G. N. (*joint author*), see Peachey, J. E., 84-7.

RICHARDSON, D. E. (*joint author*), see Cammack, R. H., 23-6.

ROBERTS, E. T. Pathogenicity of *Verticillium dahliae* to Red and White Clover, 138.

ROGERSON, J. P. Swede Midge on Two Northumberland Farms, 1959-61, 161-71.

ROBERTS, E. T. and LARGE, E. C. Surveys of Verticillium Wilt in Lucerne, England and Wales, 1958-60, 47-58.

SHERIDAN, J. E. A Cultural Method of determining the Viability of *Septoria* spores from Celery Seed, 172-3.

SLOPE, D. B. and LAST, F. T. Effects of some Chlorinated Hydrocarbons on the Development of Take-all of Wheat, 37-9.

SMART, N. A. Demeton-methyl Residues in Lettuces and Brussels Sprouts, 12-14.

SOOD, USHA (*joint author*), see Hague, N. G., 88-90.

SOUTHEY, J. F. New Host-plant Records for Eelworms, 46.

STANILAND, L. N. Iodine Dip for Control of *Xiphinema* on Strawberries. 91.

STONE, OLWEN M. (*joint author*), see Hollings, M., 69-71.

TESCIC, TOMISLAV. Detection of Frit Fly Eggs in Oat Panicles and Larval Damage to Grain, 40-3.

WEBLEY, D. P. (*joint author*), see Jones, J. Morgan, 93-105.

WEBLEY, D. P. Experiments with Slug Baits in 1959, 19-20.

WIGGELL, P. (*joint author*), see Hawkins, J. H., 21-2.

WILCOX, H. J. Alternaria Flower Spotting of Chrysanthemum, 137.

WILCOX, H. J. An Alternaria Leaf Spot of Lobelia, 137-8.

WILCOX, H. J. (*joint author*), see Hawkins, J. H., 21-2.

WILLIAMS, J. R. PARRY. Field Sprays for Control of Bean and Cabbage Aphids, 110-2.

WILSON, A. R. and JARVIS, W. R. White Blister on a Glossy-leaved Mutant of Brussels Sprouts, 91.

SUBJECT INDEX

Achromobacter spp., 144.

Adalia 2-punctata, 83, 111.

Adalia 10-punctata, 83.

Aerobacter (Klebsiella) aerogenes, 144.

Aerobacter (Klebsiella) cloaceae, 144.

Aeromonas spp. 144.

Agriolimax reticulatus, 20.

Agropyron repens, 184.

Agrostis tenuis, 184.

Albugo candida, 91.

Aldrin:
- Effect on Take-all in Wheat, 38.
- For Control of Frit Fly in Oats, 102.
- Phytotoxic Dosages, 30.

Alternaria sp., 137.

Alternaria tenuis, 137.

Anemone vitifolia, 46.

Anthocoris memorum, 111.

Antibiotics, use in spore Germination tests on *Septoria*, 16.

Antirrhinums: Phytotoxicity of Pesticides on, 28.

Aphelenchoides fragariae, 46.

Aphelenchoides hunti, 92.

Aphelenchoides ritzemabosi, 180.

Aphids:
- Effect of Coccinellids on Sugar Beet, 80.
- Systemic Insecticides as Seed Treatment, 72.

Aphis fabae, 72, 80, 110.

Apples: Damage in store caused by *Thuja* wood, 45.

Arion ater, 20.

Arion fasciatus, 20.

Arion hortensis, 20.

Arion subfuscous, 20.

Arthrobotrytis spp., 18.

Ascochyta imperfecta, 58.

Asplenium adiantum-nigrum, 46.

Asters: Phytotoxicity of Pesticides on, 28.

Bacillus, spp., 139.

Bananas, Chemical Treatment of Quarantined Stocks infested with Plant Parasitic Nematodes, 117.

Barley, Effect of Temperature on Powdery Mildew, 132.

Beans, Control of Aphids by Sprays, 110.

Begonias, Phytotoxicity of Pesticides on, 29.

Bembidion lampros, 9.

Benzalkonium chloride for Control of:
- Chrysanthemum Eelworm, 180.
- Nematodes in Banana Stocks, 118.

Botrytis cinerea, 92, 147.

Brassicas:
- Control of Club Root, 65.
- Ground Beetle Fauna, 7.
- New Hosts of Cyst Nematode, 184.

Brevicoryne brassicae, 72, 112.

Broad Bean, Downy Mildew on, 92.

Brussels Sprouts:
- Demeton-methyl Residues in, 12.
- White Blister on a glossy-leaved Mutant, 91.

Bursaphelenchus, sp., 92.

Cabbage:
- Control of Aphids by Sprays, 110.
- Root Fly Predators, 7.

Capsella bursa-pastoris, 184.

Captan, Phytotoxicity to Brassicas, 66.

Capsicum annuum, 113.

Capsicum frutescens, 113.

Carnation, Phytotoxicity of Pesticides on, 30.

Carrots, Licorice Rot, 136.

Celery:
- Cultural Method of determining the Viability of *Septoria* spores from seed, 172.
- Testing Viability of *Septoria* on Seed, 15.

Centrospora acerina, 136.

Ceterach officinarum, 46.

Chloranil, Phytotoxicity to Brassicas, 66.

Chlordane, Effect on Take-all in Wheat, 38.

Chrysanthemums:
- Alternaria Flower-spotting, 137.
- A *Phoma* Root Rot, 21.
- Phytoxicity of Pesticides on, 31.
- Treatment of Stools for Control of Eelworm, 180.

Chrysanthemum morifolium, 137.

Cinerarias, Phytotoxicity of Pesticides on, 33.

Clematis macropetala, 46.

Clovers:
- Pathogenicity of *Verticillium dahliae* to Red and White Clovers, 138.
- Surveys of Phyllody in White Clover Seed Crops, 1959-62, 121.

Coccinella 7-punctata, 83.

Coccinellids, Effect on Aphids infesting Insecticide-treated Sugar Beet. 80.

Coleus, Phytotoxicity of Pesticides on, 33.

Colletotrichum trifolii, 57.

Contarinia nasturtii, 161.

Coronopus didymus, 184.

Cyclamen, Phytoxicity of Pesticides on, 34.

Cynosurus cristatus, 184.

Dactylaria thaumasia, 18.

Dactylis glomerata, 184.

Dahlias, Phytotoxicity of Pesticides on, 34.

D.D.T.:
For Control of Frit Fly in Oats, 93.
Phytotoxic Dosages, 30.

Demeton for Control of Aphids by Seed Treatment, 74.

Demeton-methyl:
For control of:
Aphids on Sugar Beet, 81.
Frit Fly in Oats, 99.
Swede Midge, 169.
Bean and Cabbage Aphids, 110.
Phytotoxic Dosages, 31.

Diazinon for Control of Swede Midge, 169.

Dibromochloropropane (Nemagon) for Control of Eelworm in Banana Stocks, 119.

Dibromopropyl methyl ether (SD 4014) for Control of Eelworm in Banana Stocks, 119.

Dicloran for Control of Lettuce Bottom Rot, 147.

Dieldrin for Control of:
Frit Fly in Oats, 99.
Swede Midge, 169.

Diethyl pyrazinyl phosphorothiate for Control of Chrysanthemum Eelworm, 183.

Dimethoate:
For Control of:
Aphids by Seed Treatment, 74.
Bean and Cabbage Aphids, 110.
Phytotoxic Dosages, 31.

Dipterex for Control of Frit Fly in Oats, 99.

Disease Measurement:
Club Root of Brassicas, 66.
Potato Common Scab, 106.
Phyllody in White Clover, 124.
Verticillium Wilt in Lucerne, 50.

Disyston for Control of Aphids by Seed Treatment, 74.

Ditylenchus dipsaci, 46, 57, 62, 153.

Eelworm:
Assay Techniques for Glasshouse Soils, 85.
Beet Eelworm, 177.
Brassica Cyst Nematode, 184.
Bursaphelenchus sp. on Gardenias, 92.
Chemical Treatment of Banana Stocks, 117.
Chrysanthemum Eelworm, 180.
Control in Glasshouse soil by Methyl isothiocyanate, 84.
Control of *Xiphinema* on Strawberries, 91.
Effect of Green Manure and Predacious Fungi on Cereal Root Eelworm in Oats, 18.
Fumigation of Lucerne Seed, 62.
Hatching Tests and Counts of Primary Galls in Assessment of Nematicides against *Meloidogyne* spp., 148.
Incidence in Lucerne, 57.
New Host-plant Records, 46.
Soil Sterilization with Methylbromide, 88.

Emilia sagittata, as a Test Plant for Plant Viruses, 69.

Erioschia brassicae, 7.

Erwinia lathyri, 144.

Erysiphe graminis, 128, 132.

Escherichia coli, 144.

Ethion, phytotoxic Dosages, 31.

Ethyl mercury Phosphate for Control of Blackleg in Sugar Beet, 174.

Euzophera osseatella, 137.

Festuca rubra ssp. *commutata*, 184.

Flavobacterium spp., 144.

Fluoroacetamide:
For Control of Bean and Cabbage Aphids, 110.
Phytotoxic Dosages, 30.

Forecasting:
Potato and Tomato Blight in Jersey, 1.

Formalin for Control of Lettuce Bottom Rot, 147.

Frit Fly, Chemical Control by Sprays and Seed Dressings, 93.

Fusarium nivale, 184.

Galanthus hybrids, 46.

gamma-BHC:
For Control of:
Frit Fly in Oats, 100.
Turnip Flea Beetles, 131.
Phytotoxic Dosages, 30.

Gardenias, Bud-Rot on, 92.

Gentian violet, for Control of Chrysanthemum Eelworm, 180.
Geraniums, Phytotoxicity of Pesticides on, 34.
Grasses:
Snow Moulds in North Scotland, 184.
Ground Beetle Fauna of Brassica Crops, 7.

Helicotylenchus dihystera, 117.
Heptachlor:
For Control of Frit Fly in Oats, 102.
Effect on Take-all in Wheat, 38.
Heterodera spp., 148, 177.
Heterodera avenae, 18.
Heterodera cacti, 46.
Heterodera cruciferae, 184.
Heterodera rostochiensis, 84, 88, 153.
Heterodera schachtii, 153, 177.
Hexyl resorcinol, for Control of Chrysanthemum Eelworm, 180.
Holcus mollis, 184.
Hot Water Treatment, for Control of Chrysanthemum Eelworm, 180.

Iodine, for Control of:
Chrysanthemum Eelworm, 180.
Eelworm in Banana Stocks, 118.
Xiphinema on Strawberries, 91.
Isolan for Control of Aphids by Seed Treatment, 75.
Itersonilia pastinacae, 136.

Kale:
Control of Flea Beetles by Seed Dressing, 130.
Seed Treatments against Aphids, 75.
Kelthane:
For Control of Cyclamen Mite, on Cyclamen, 124; on Strawberries, 122.
Phytotoxic Dosages, 30.

Lettuce:
Bottom Rot and its Control, 147.
Demeton-methyl Residues in, 12.
Lime sulphur for control of Mildew in Wheat, 128.
Lobelia, Alternaria Leaf Spot, 137.
Lolium perenne ssp. *multiflorum*, 184.
Lolium perenne ssp. *perenne*, 184.
Losses caused by:
Frit Fly in Oats, 95.
Mildew in Winter Wheat, 129.
Phyllody in White Clover, 127.
Sugar Beet Yellows, 155.
Verticillium Wilt in Lucerne, 53.

Lucerne:
Methyl Bromide Fumigation of Seed, 62.
Surveys of Verticillium Wilt in England and Wales, 47; other Diseases and Pests, 59.

Malathion, Phytotoxic Dosages, 31.
Mammillaria spp., 46.
Maneb for Control of Club Root, 66.
Meloidogyne spp., 148.
Meloidogyne arenaria, 117, 153.
Meloidogyne hapla, 46.
Meloidogyne incognita, 46, 117, 148.
Menazon for Control of Aphids by Seed Treatment, 74.
Mercuric chloride for Control of Club Root, 66.
Metaldehyde for Control of Slugs, 19.
Metapolophium dirhodum, 157.
Methyl Bromide:
Effect of Temperature in Fumigation of Lucerne Seed, 62.
For Control of Nematodes by Soil Sterilization, 88.
Methyl isothiocyanate for Control of Potato Root Eelworm in a Glasshouse Soil, 84.
Milax budapestensis, 20.
Milax gagates, 20.
Morphothion:
For Control of Aphids by Seed Treatment, 75.
Phytotoxic Dosages, 29.
Myzus persicae, 155.

Narcissus, Growth Stages of the Flower within the Bulb. Illustrations of the Beyer Scale, 145.
Nardus stricta, 184.
New or Uncommon Plant Diseases and Pests, 91, 135, 184.
Nicotine, Phytotoxic Dosages, 29.

Oats:
Barley Yellow-Dwarf Virus, 157.
Control of Frit Fly by Sprays and Seed Dressings, 93.
Detection of Frit Fly in Panicles and Larval Damage to Grain, 40.
Effect of Green Manuring and Predacious Fungi on Cereal Root Eelworm, 18.
Influence of Date of Sowing on Frit Fly Attacks, 97.
o-chlorophenol for Control of Chrysanthemum Eelworm, 180.

Ophiobolus graminis, 37.
Organo-mercury for Control of Blackleg in Sugar Beet, 175.
Oscinella frit, 40, 93.

Parascaptomyza disticha, 169.
Parathion:
For Control of:
Chrysanthemum Eelworm, 180.
Eelworm in Banana Stocks, 118.
Frit Fly in Oats, 99.
Phytotoxic Dosages, 31.
Parsnips:
Centrospora Rot, 136.
Damage by *Psila fimetaria* in Scotland, 136.
p-chlorophenol for Control of:
Chrysanthemum Eelworm, 180.
Eelworm in Banana Stocks, 118.
Pectobacterium aroideae, 143.
Pectobacterium atrosepticum, 143.
Pectobacterium carotovorum, 143.
Pectobacterium carotovorum var. *atrosepticum*, 139, 142.
Pectobacterium chrysanthemi, 143.
Pelethophila fimetaria, 136.
Penicillium expansum, 45.
Peppers, Tobacco Mosaic Virus Infection of Sweet Peppers, 113.
Petunias, Phytoxicity of Pesticides on, 28.
Peronospora trifoliorum, 57.
Peronospora viciae, 92.
Phenylmercury salicylate Residues in Tomatoes, 59.
Phleum pratense, 184.
Phoma sp., 136.
Phoma chrysanthemicola, 22.
Phorate for Control of:
Aphids by Seed Treatment, 74.
Frit Fly in Oats, 100.
Phosphamidon:
For Control of:
Aphids by Seed Treatment, 74.
Bean and Cabbage Aphids, 110.
Phytotoxic Dosages, 31.
Phthorimaea operculella, 137.
Phytophthora infestans, 1.
Phytotoxicity of Insecticides and Acaricides, II. Flowers and Ornamentals, 27.
Plasmodiophora brassicae, 65.
Pleospora betae, 174.
Plums, a Disease resembling Plum Pox in England, 115.
Poa annua, 184.
Poa pratensis, 184.
Poa trivialis, 184.
Polyanthus, Phytotoxicity of Pesticides on, 34.
Potatoes:
Blight Forecasting in Jersey, 1957-61, 1.
Euzophera osseatella in a tuber, 137.
Growth Cracking and Bacterial Soft Rot in Tubers, 139.
Serological Diagnosis of Blackleg and Tuber Soft Rot, 142.
Suspected Potato Spindle Tuber Virus in England, 23.
Varietal Resistance to Common Scab, 106.
Propylea 14-punctata, 83.
Pseudomonas fluorescens, 144.
Pseudopeziza medicaginis, 57.
Psila fimetaria, 136.
Pyrethrum, Phytotoxic Dosages, 30.
Pythium ultimum, 139.

Quintozene for Control of Lettuce Bottom Rot, 147.

Radopholus similis, 117.
Residues:
Demeton-methyl in Lettuces and Brussels Sprouts, 12.
Phenylmercury salicylate in Commercial Glasshouse Tomato Crops, 59.
Rhizoctonia solani, 147.
Rhopalosiphum padi, 72, 157.
Ryegrass, Transmission and Effect of Barley Yellow-Dwarf Virus isolated from, 157.

Saint Paulias, Phytotoxicity of Pesticides on, 34.
Schradan for Control of Aphids by Seed Treatment, 74.
Sclerotinia trifoliorum, 57.
Seed Disinfection:
Organo-mercury for Sugar Beet, 174.
Septoria spp., 172.
Septoria apii-graveolentis, 17.
Serological Diagnosis of Potato Blackleg and Tuber Soft Rot, 142.
Serratia marcescens, 144.
Silver nitrate for Control of Chrysanthemum Eelworm, 180.
Slugs, Experiments with Baits, 19.
Solanum melongena, 137.
Stachys arvensis, 184.

Strawberries, Control of *Xiphinema* by Iodine Dip, 91.
Streptomyces scabies, 106.
Sugar Beet:
Effect of Coccinellids on Aphids, 80.
Effect of Water-soaking on Germination, 175.
Field Emergence and Laboratory Germination of Seed, 174.
Mild Yellowing Virus, 156.
Virus Yellows in Britain, 1962, 155.
Seed Treatments against Aphids, 76.
Variance of Counts from Larval Suspensions of Beet Eelworm, 177.
Surveys:
Phyllody in White Clover Seed Crops, 121.
Sugar Beet Yellows in Britain, 1962, 155.
Verticillium Wilt in Lucerne, 47.
Swedes:
Bacterial Soft Rot, 169.
Cabbage Top, 166.
Crumple Leaf, 166.
Many Neck, 166.
Midge on Two Northumberland Farms, 1959-61, 161.
Synopeas sp., 166.
Systemic Insecticides compared as Seed Treatments against Aphids, 72.

Tecnazene for Control of Lettuce Bottom Rot, 147.
Telodrin for Control of Frit Fly in Oats, 102.
TEPP, Phytotoxic Dosages, 31.
Thiodan for Control of Frit Fly in Oats, 102.
Thiourea for Control of Chrysanthemum Eelworm, 180.
Thiram:
Effect on Take-all in Wheat, 38.
For Control of:
Club Root of Brassicas, 66.
Lettuce Bottom Rot, 147.
Turnip Flea Beetles with gamma-BHC, 130.
Thuja plicata, 45.
Tomatoes:
Assessment of Nematicides against *Meloidogyne* spp., 148.
Blight Forecasting in Jersey, 1957-61, 1.
Phenylmercury salicylate Residues in, 59.
Traps and Trapping:
Coccinellids and Aphids on Sugar Beet, 81.
Ground Beetles in Brassica Crops, 8.
Slugs, 20.
Swede Midge, 162.
Trifolium fragiferum, 121.
Trifolium hybridum, 121.
Trifolium incarnatum, 121.
Trifolium pratense, 121.
Trifolium repens, 121.
Trithion for Control of Aphids by Seed Treatment, 74.
Tulips, Growth Stages, 143.
Typhula incarnata, 184.

Uromyces striatus, 58.
Urophlytis alfalfae, 57.

Verticillium alboatrum, 47, 138.
Verticillium dahliae, 47, 138.
Violets, Phytoxicity of Pesticides on, 34.
Virus Diseases:
Barley Yellow-Dwarf, 157.
Emilia sagitatta as a Test Plant, 69.
Phyllody in White Clover Seed Crops, 121.
Pseudo-pox of Plums, 115.
Sharka Disease (Plum Pox), 115.
Sugar Beet Yellows in Great Britain, 1962, 155.
Suspected Potato Spindle Tuber in England, 23.
Tobacco Mosaic in Sweet Peppers, 113.
Yellow Bean Mosaic, 110.

Wallflower, Brassica Cyst Nematode in, 184.
Weather of England and Wales:
Spring and Summer, 1962, 44.
Autumn and Winter, 1962-63, 135.
Wetters, Phytotoxic Dosages, 30.
Wheat:
Effect of Mildew on Yield of Winter Wheat, 128.
Effect of some Chlorinated Hydrocarbons on the Development of Take-all, 37.
Effect of Temperature on Powdery Mildew, 132.
Helminthosporium avenaceum on Seed in Scotland, 135.
Seed Treatments against Aphids, 74.
Snow Mould in Scotland, 184.
White-oil, Phytotoxic Dosages, 30.
Woodwardia paradoxa, 46.

Xiphinema, spp., 91.

Zinnias, Phytotoxicity of Pesticides on, 34.

Printed in England for Her Majesty's Stationery Office by Lightbowns Ltd., 72 Union Street, Ryde, Isle of Wight.
1426 Wt 28 (K10) 12/63 G1451 S.O. Code No. 72-29-63-4.

Seed

34.

ops,

ain,
Eng-
13.

in,

nter
car-
all,
Mil-
eed

34.

3-4.